

WALL LEGEND	
	EXISTING WALL TO REMAIN
	EXISTING WALL TO BE REMOVED
	INSULATED WALL: BATT TYPE INSULATION (R-11 MIN)
	NEW WALL CONSTRUCTION - FRAMING WITH GYP BD - SEE GEN NOTES - CONSTRUCTION # B

**GENERAL NOTES - CONSTRUCTION:**



- A. INSTALL GYPSUM BOARD BACKING AS REQUIRED IN WALL & CEILING.
- B. TYPICAL INTERIOR WALL CONSTRUCTION: 3 1/2" STEEL FRAMING @ 16" O.C. UNLESS OTHERWISE NOTED.
- C. DIMENSIONS ARE FROM FACE OF STUD TO FACE OF STUD OR FACE OF EXISTING AS INDICATED ON FLOOR PLAN.
- D. PROVIDE SOLID BLOCKING IN THE WALLS AT DOOR STOPS, CHALKBOARDS, TACK BOARDS, TOILET COMPARTMENTS, VANITY & BENCH BRACKETS AND OTHER EQUIPMENT AND ACCESSORY LOCATIONS. SEE SHIT A? (TYPICAL).
- J. WHERE NEW FINISHES ARE INSTALLED OVER EXISTING SURFACES, PROVIDE ADJUSTMENTS IN THICKNESS AS REQUIRED - BY EXTENDING ELECTRICAL "J" BOX FOR SWITCHES, OUTLETS, CONTROLS, ETC. EXTEND MECHANICAL DUCTWORK, PIPING, ETC.
- K. ADJUST ALL DOOR HEIGHTS AS REQUIRED TO PROVIDE 1/2" CLEARANCE FROM FINISHED FLOOR.

**CONSTRUCTION PLAN NOTES:**

- 1. INSTALL CASEWORK/MILLWORK. PROVIDE BACKING IN WALL CAVITY AS REQUIRED TO SUPPORT ATTACHMENT.
- 2. FILL OPENING WITH STUD WALL - FRAMING MEMBERS AT 16" O.C. W/ 3 1/2" METAL STUDS. INTERIOR FINISH: COVER FRAMING WITH 5/8" GYP BD. PATCH / REPAIR AS REQUIRED & FINISH TO MATCH ADJACENT SURFACES.
- 3. FURR EXISTING MASONRY WALL WITH 1 5/8" 25 GA STEEL STUD FURRING AT 16" O.C. ROUTE EXISTING & NEW ELECTRICAL WIRING AND CONDUIT INTO WALL CAVITY - FIELD VERIFY CONDITIONS & SEE ELECTRICAL DWGS. INSTALL 5/8" GYPSUM WALL BOARD OVER FURRING AND FINISH AS SCHEDULED.
- 4. SAW-CUT CONCRETE FLOOR AS REQUIRED BY NEW WORK TO LOCATE WASTE LINE. SEE MECH DWGS.
- 5. MARKER BOARD BOARD AS SCHEDULED. SEE SCHEDULE AND SHEET A1.5.
- 6. EXISTING STRUCTURAL COLUMN - PROTECT FROM DAMAGE & FINISH TO MATCH NEW SURFACES.
- 7. EXISTING WALL HUNG FIRE EXTINGUISHER - RELOCATE UNIT AS SHOWN.
- 8. REMOVE EXISTING GYPSUM BOARD FROM WALL AND ADD R-11 INSULATION TO WALL CAVITY FULL HEIGHT AND COVER WITH 5/8" GYPSUM BOARD.

*Mike Toler*

ENLARGED LAB PLAN  
1/4" = 1'-0"



Jensen Barnard Architects, Inc.  
Hal W. Jensen - Nick H. Barnard  
1501 Bench Road  
Pocatello, Idaho 83201  
Phone: (208) 233-4633  
Fax: (208) 233-4656



DPW PROJECT NUMBER: 10-236  
RENOVATE BEAM LABORATORY  
PHYSICAL SCIENCE BUILDING  
IDAHO STATE UNIVERSITY  
785 South 8th Ave. Building No. 3  
POCATELLO IDAHO

Project for:  
STATE OF IDAHO  
Div Public Works  
502 N. 4th Street  
Boise, Idaho  
for

Mark	Date	Description

Date: April 2010  
Plan Series: -  
Prop. #: -

Sheet Title:  
**ENLARGED LAB PLAN**

Sheet Number:  
**A1.2**