



WALL LEGEND	
	EXISTING WALL TO REMAIN
	EXISTING WALL TO BE REMOVED
	INSULATED WALL: BATT TYPE INSULATION (R-11 MIN.)
	NEW WALL CONSTRUCTION - FRAMING WITH GYP BD - SEE GEN NOTES - CONSTRUCTION # B

GENERAL NOTES - CONSTRUCTION:

- A. INSTALL GYPSUM BOARD BACKING AS REQUIRED IN WALL & CEILING.
- B. TYPICAL INTERIOR WALL CONSTRUCTION: 3 1/2" STEEL FRAMING @ 16" O.C. UNLESS OTHERWISE NOTED.
- C. DIMENSIONS ARE FROM FACE OF STUD TO FACE OF STUD OR FACE OF EXISTING AS INDICATED ON FLOOR PLAN.
- D. PROVIDE SOLID BLOCKING IN THE WALLS AT DOOR STOPS, CHALKBOARDS, TACK BOARDS, TOILET COMPARTMENTS, VANITY & BENCH BRACKETS AND OTHER EQUIPMENT AND ACCESSORY LOCATIONS. SEE SHT AT (TYPICAL).
- J. WHERE NEW FINISHES ARE INSTALLED OVER EXISTING SURFACES, PROVIDE ADJUSTMENTS IN THICKNESS AS REQUIRED - BY EXTENDING ELECTRICAL "J" BOX FOR SWITCHES, OUTLETS, CONTROLS, ETC. EXTEND MECHANICAL DUCTWORK, PIPING, ETC.
- K. ADJUST ALL DOOR HEIGHTS AS REQUIRED TO PROVIDE 1/2" CLEARANCE FROM FINISHED FLOOR.

CONSTRUCTION PLAN NOTES:

- 1. INSTALL CASEWORK/MILLWORK. PROVIDE BACKING IN WALL CAVITY AS REQUIRED TO SUPPORT ATTACHMENT.
- 2. FILL OPENING WITH STUD WALL - FRAMING MEMBERS AT 16" O.C. W/ 3 1/2" METAL STUDS. INTERIOR FINISH: COVER FRAMING WITH 5/8" GYP BD. PATCH / REPAIR AS REQUIRED & FINISH TO MATCH ADJACENT SURFACES.
- 3. FURR EXISTING MASONRY WALL WITH 1 5/8" 25 GA STEEL STUD FURRING AT 16" O.C. ROUTE EXISTING & NEW ELECTRICAL WIRING AND CONDUIT INTO WALL CAVITY - FIELD VERIFY CONDITIONS & SEE ELECTRICAL DWGS. INSTALL 5/8" GYPSUM WALL BOARD OVER FURRING AND FINISH AS SCHEDULED.
- 4. SAW-CUT CONCRETE FLOOR AS REQUIRED BY NEW WORK TO LOCATE WASTE LINE. SEE MECH DWGS.
- 5. MARKER BOARD BOARD AS SCHEDULED. SEE SCHEDULE AND SHEET A1.5.
- 6. EXISTING STRUCTURAL COLUMN - PROTECT FROM DAMAGE & FINISH TO MATCH NEW SURFACES.
- 7. EXISTING WALL HUNG FIRE EXTINGUISHER - RELOCATE UNIT AS SHOWN.
- 8. REMOVE EXISTING GYPSUM BOARD FROM WALL AND ADD R-11 INSULATION TO WALL CAVITY FULL HEIGHT AND COVER WITH 5/8" GYPSUM BOARD.

Jensen Barnard Architects, Inc.
 Architecture
 Planning
 Interiors

Jensen Barnard Architects, Inc.
 1501 Bench Road
 Pocatello, Idaho 83201
 Phone: (208) 233-6333
 Fax: (208) 233-6556



DRW PROJECT NUMBER: 10-236
 RENOVATE BEAM LABORATORY
 PHYSICAL SCIENCE BUILDING
 IDAHO STATE UNIVERSITY
 785 South 8th Ave. Building No. 3
 POCATELLO, IDAHO

Project for:
 STATE OF IDAHO
 Div Public Works
 502 N. 4TH Street
 Boise, Idaho
 for

Date	Description

Date: April 2010
 Plan Series: -
 Prop. #: -

Sheet Title:
ENLARGED LAB PLAN

Sheet Number:
A1.2

ENLARGED LAB PLAN
 1/4" = 1'-0"

1

TRUE NORTH
 BUILDING NORTH

JULY 20